

**NOTES:**

- SEE GAS UTILITY PRE-STAGE 1 AND FINAL STAGE PLANS FOR GAS LINE LOCATIONS\*
- UTILITIES MUST BE MIN. 4' DEEP WHERE CROSSING NEW GAS.
- REMOVE EXISTING ELECTRICAL DUCTBANK FROM MH1903 TO MH1904 DURING PRE-STAGE 1A.
- SEE STAGING DETAILS ON THE TRAFFIC CONTROL PLANS SHEETS 25-44
- SEE BRIDGE CONSTRUCTION STAGING AND DEMOLITION DETAILS VOLUME 2 SHEETS 13-19

**UTILITY SUPPORT NOTES:**

- THE TEMPORARY SUPPORT FOR THE EXISTING UTILITY POLE DETAIL IS CONCEPTUAL. ALL PROVIDED BY THE OWNER OF THE UTILITY POLE.
- TENSION GUYS (NOT SHOWN) SHALL ALSO BE PROVIDED THE BY THE OWNER OF THE UTILITY POLE AS REQUIRED.

REVISIONS		
NO.	DATE	BY

RHODE ISLAND  
DEPARTMENT OF TRANSPORTATION

---


SUPERSTRUCTURE REPLACEMENT  
RESERVOIR AVE. RR BRIDGE NO. 327  
PROVIDENCE, RHODE ISLAND

---

**ELECTRICAL AND  
COMMUNICATIONS PLAN**

---

CHECKED BY PWS DATE 11/23/2020 SCALE 1"=20'



**Louis Berger**  
166 VALLEY STREET, BUILDING 5  
PROVIDENCE, RI 02909  
TEL 401 521 5980  
WWW.LOUISSBERGER.COM