

**SUBSET 4 - TRAFFIC
INDEX OF DRAWINGS**


DRAWING NUMBER	DRAWING TITLE	DRAWING NUMBER	DRAWING TITLE
INX-04	INDEX OF DRAWINGS	TR-GS_01	SIGN FACE SHEET ALUMINUM R-SERIES TYPICAL SIGN DETAILS
SPM-01	SIGNING AND PAVEMENT MARKING PLAN		

REV.	DATE	REVISION DESCRIPTION


DESIGNED BY:
CDM SMITH
77 HARTLAND STREET
SUITE 201
EAST HARTFORD, CT 06108

DESIGNER/DRAFTER: CJS CHECKED BY: SAH

SIGNATURE/
BLOCK:




CDM SMITH
77 HARTLAND ST.
SUITE 201
EAST HARTFORD, CT 06108



PROJECT NUMBER: 0164-0243
PROJECT DESCRIPTION: ROUTE 75 CULVERT REHABILITATION
TOWN(S): WINDSOR
DRAWING TITLE: INDEX OF DRAWINGS

DRAWING NO.
INX-04
SHEET NO.
04.01



ENDPROJECT NO. 0164-0243
F.D.P. NO. 1164(112)PE
CL STA. 2+02.00
N 884155.442
E 1021392.424

BEGIN PROJECT NO. 0164-0243
F.D.P. NO. 1164(112)PE
CL STA. 0+54.00
N 884057.127
E 1021503.051

PAVEMENT MARKING NOTES:

1. FINAL PAVEMENT MARKINGS TO BE EPOXY RESIN.
2. PAVEMENT MARKINGS SHALL BE INSTALLED THROUGHOUT PROJECT AREA TO LIMITS OF PAVEMENT MARKINGS AS INDICATED ON PLAN OR AS DIRECTED BY THE ENGINEER. ALL CONFLICTING PAVEMENT MARKINGS WITHIN LIMITS OF PAVEMENT MARKINGS SHALL BE REMOVED.
3. PAVEMENT MARKINGS SHALL BE INSTALLED PER TRAFFIC STANDARD SHEET TR-1210_04: PAVEMENT MARKING LINES AND SYMBOLS, AND TR-1210_08: PAVEMENT MARKINGS FOR NON FREEWAYS.

SIGNING NOTES:


1. ALL EXISTING SIGNS WITHIN THE LIMITS OF WORK ARE TO BE RETAINED UNLESS OTHERWISE NOTED ON PLAN OR DIRECTED BY THE ENGINEER.
2. ALL EXISTING SIGNS OUTSIDE THE LIMITS OF WORK ARE TO REMAIN UNLESS OTHERWISE DIRECTED BY THE ENGINEER.
3. SIGNS TO BE INSTALLED PER TRAFFIC STANDARD SHEETS TR-1208_01: SIGN PLACEMENT AND RETROREFLECTIVE STRIP DETAILS, AND TR-1208_02: METAL SIGN POSTS AND SIGN MOUNTING DETAILS.
4. EXACT SIGN LOCATIONS TO BE VERIFIED BY THE ENGINEER.
5. SIGNS SHALL BE INSTALLED A MINIMUM OF 10' (FEET) FROM UTILITY POLES.

PAVEMENT MARKING LEGEND

- DYCL - 4 IN DOUBLE YELLOW CENTER LINE
- SBL - 12 IN STOP BAR LINE (WHITE)
- SWEL - 4 IN SOLID WHITE EDGE LINE

REV.	DATE	REVISION DESCRIPTION


DESIGNER/DRAFTER: CJS CHECKED BY: SAH



SIGNATURE/BLOCK:




















































CDM SMITH
 77 HARTLAND ST.
 SUITE 201
 EAST HARTFORD, CT 06108



PROJECT NUMBER: 0164-0243
 PROJECT DESCRIPTION: ROUTE 75 CULVERT REHABILITATION
 TOWN(S): WINDSOR
 DRAWING TITLE: SIGNING & PAVEMENT MARKINGS PLAN

DRAWING NO. SPM-01
 SHEET NO. 04.02

R1 - SERIES					R2 - SERIES					R3 - SERIES										R4 - SERIES					R5 - SERIES																													
R1-1  LEGEND - WHITE BACKGROUND - RED					R2-1  LEGEND - BLACK BACKGROUND - WHITE CIRCLE & DIAGONAL - RED					R3-1  LEGEND - BLACK BACKGROUND - WHITE CIRCLE & DIAGONAL - RED					R3-5  31-0183 31-0184					R3-6 					R3-8  31-0282 31-0283					R3-8b  31-0282 31-0283					R4-1 					R4-16 					R5-1  LEGEND - WHITE BACKGROUND - WHITE CIRCLE - RED					R5-10a(CT) 				
R1-2  LEGEND - RED BACKGROUND - WHITE					R2-4a  LEGEND - BLACK BACKGROUND - WHITE CIRCLE & DIAGONAL - RED					R3-2  LEGEND - BLACK BACKGROUND - WHITE CIRCLE & DIAGONAL - RED					R3-6  31-0157 31-0158					R3-8  31-0295 31-0219					R3-8b  31-0307 31-0372					R4-3 					R5-1a 					R5-11 														
R1-3P  LEGEND - WHITE BACKGROUND - RED					R3-3 					R3-7 					R3-8  31-0222 31-0223					R3-8 					R3-8b 					R4-7 					R5-10a(CT)  LEGEND - BLACK TOP SECTION BACKGROUND - YELLOW BOTTOM SECTION BACKGROUND - WHITE					R5-10c 														

R6 - SERIES					R7 - SERIES					R8 - SERIES					R9 - SERIES					R10 - SERIES					R11 - SERIES					RETROREFLECTIVE STRIP														
R6-1  LEGEND - BLACK BACKGROUND - WHITE					R7-1  LEGEND - RED BACKGROUND - WHITE					R8-7 					R9-3  LEGEND - BLACK BACKGROUND - WHITE CIRCLE & DIAGONAL - RED					R10-6  31-0801 31-0802					R10-11b 					R10-11c(CT) 					R11-1 					RETROREFLECTIVE STRIP LEGEND - N/A				
R6-1  LEGEND - BLACK BACKGROUND - WHITE					R7-2a  LEGEND - RED BACKGROUND - WHITE					R9-3a 					R10-7 					R10-10L 					R10-15  LEGEND AND SYMBOLS - BLACK YIELD SYMBOL - RED BACKGROUND; TOP - FLUORESCENT YELLOW-GREEN BOTTOM - WHITE					NOTES: 1. THE LEGEND "O.S.T.A." SHALL APPEAR ON ALL R - SERIES SIGNS EXCEPT WHEN SUFFIXED WITH THE LETTER "Z". 2. FOR SPECIFIC SIGN DESIGN CONTACT CONN. D.O.T., DIVISION OF TRAFFIC ENGINEERING. FOR BOLT HOLE PATTERN REFER TO FHWA PUBLICATION "STANDARD HIGHWAY SIGNS". SIGNS OF DIFFERENT DIMENSIONS TO BE ERRECTED ON THE SAME POSTS, OR SPAN/MAST ARM MOUNTED, MAY REQUIRE SPECIAL BOLT HOLE PATTERNS. 3. POSTS - SEE STANDARD SHEET TR-1208.02 - "METAL SIGN POSTS AND SIGN MOUNTING DETAILS." 4. POSTS SHALL BE 4 LBS./FT. 5. SIGNS SHALL BE FABRICATED OF ONE CONTINUOUS PIECE OF SHEET ALUMINUM. SPLICING OF SHEET ALUMINUM WILL NOT BE ACCEPTED. 6. FOR OVERHEAD MOUNTED SIGNS, SEE STANDARD SHEET TR-1114.01 - "BONDING AND UTILITY POLE ATTACHMENT DETAILS, SIGN HANGER, "Y" CLAMP DETAIL." COLORS: BACKGROUND - WHITE - EXCEPT AS NOTED. LEGEND - BLACK - EXCEPT AS NOTED. ALL SIGNS TO USE TYPE IX RETROREFLECTIVE SHEETING WITH THE EXCEPTION OF OVERHEAD MOUNTED SIGNS AND SIGNS DESIGNATED WITH AN * WHICH SHALL BE TYPE XI RETROREFLECTIVE SHEETING.														
R6-1  LEGEND - BLACK BACKGROUND - WHITE					R7-2a  LEGEND - RED BACKGROUND - WHITE					R9-3a 					R10-7 					R10-10L 					R10-15  LEGEND AND SYMBOLS - BLACK YIELD SYMBOL - RED BACKGROUND; TOP - FLUORESCENT YELLOW-GREEN BOTTOM - WHITE					NOTES: 1. THE LEGEND "O.S.T.A." SHALL APPEAR ON ALL R - SERIES SIGNS EXCEPT WHEN SUFFIXED WITH THE LETTER "Z". 2. FOR SPECIFIC SIGN DESIGN CONTACT CONN. D.O.T., DIVISION OF TRAFFIC ENGINEERING. FOR BOLT HOLE PATTERN REFER TO FHWA PUBLICATION "STANDARD HIGHWAY SIGNS". SIGNS OF DIFFERENT DIMENSIONS TO BE ERRECTED ON THE SAME POSTS, OR SPAN/MAST ARM MOUNTED, MAY REQUIRE SPECIAL BOLT HOLE PATTERNS. 3. POSTS - SEE STANDARD SHEET TR-1208.02 - "METAL SIGN POSTS AND SIGN MOUNTING DETAILS." 4. POSTS SHALL BE 4 LBS./FT. 5. SIGNS SHALL BE FABRICATED OF ONE CONTINUOUS PIECE OF SHEET ALUMINUM. SPLICING OF SHEET ALUMINUM WILL NOT BE ACCEPTED. 6. FOR OVERHEAD MOUNTED SIGNS, SEE STANDARD SHEET TR-1114.01 - "BONDING AND UTILITY POLE ATTACHMENT DETAILS, SIGN HANGER, "Y" CLAMP DETAIL." COLORS: BACKGROUND - WHITE - EXCEPT AS NOTED. LEGEND - BLACK - EXCEPT AS NOTED. ALL SIGNS TO USE TYPE IX RETROREFLECTIVE SHEETING WITH THE EXCEPTION OF OVERHEAD MOUNTED SIGNS AND SIGNS DESIGNATED WITH AN * WHICH SHALL BE TYPE XI RETROREFLECTIVE SHEETING.														